







# LATCHES

Australia's largest range of rural latches.

There's latches for steel posts, timber posts, and concrete posts.

With options to; bolt-on, bolt-thru, screw-on, screw-in, and weld-on.

Farm Fences. **Sorted.**

# LATCHES











1800  
004  
940

## HOOK LATCHES

CODE	CHAIN LENGTH	LATCH TYPE	INCLUDES	BARCODE	BOX QTY
CL350	350mm		1 Hook Latch		5
CL500	500mm		1 Hook Latch		5
CL500S	"		1 Spring Hook Latch		5
CL700	700mm		1 Hook Latch		5
CL700S	"		1 Spring Hook Latch		5
ST	-	-	1 Staple		50







## HOOK LATCHES WITH STAPLES

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
CLS500	500mm		Timber	1 Hook Latch, 2 Staples		5
CLS500S	"		"	1 Spring Hook Latch, 2 Staples		5
CLS700	700mm		"	1 Hook Latch, 2 Staples		5
CLS700S	"		"	1 Spring Hook Latch, 2 Staples		5







## SCREW-ON HOOK LATCH KITS

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
SCLK350	350mm		Steel	1 Hook Latch, 1 Ring, 1 Saddle, 4 Screws		5
SCLK500S	500mm		Steel	1 Spring Hook Latch, 1 Ring, 1 Saddle, 4 Screws		5



## WELD-ON HOOK LATCH KITS

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
WCLK350	350mm		Steel	1 Hook Latch, 1 Ring, 1 Saddle		5
WCLK500S	500mm		Steel	1 Spring Hook Latch, 1 Ring, 1 Saddle		5




### SCREW-IN RING LATCH

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
SCLR350	350mm		Timber	1 Hook Latch, 1 Ring Screw	9 348326 003208	5
SCLR350S	500mm		Timber	1 Spring Hook Latch, 1 Ring Screw	9 348326 003253	5
SR12	-	-	-	1 Ring Screw	9 348326 003215	50




### SCREW-IN KNOB LATCH

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
KL350	350mm		Timber	1 Knob Latch, 1 Screw	9 348326 003161	5




### SCREW-IN OVAL RING LATCH

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
ORL350	350mm		Timber	1 Oval Latch, 1 Screw	9 348326 004991	5




### SCREW-ON OVAL RING LATCH KIT

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
SORL350	350mm		Steel	1 Oval Latch, 1 Saddle, 6 Screws	9 348326 005387	5





### WELD-ON OVAL RING LATCH KIT

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
WORL350	350mm		Steel	1 Oval Latch, 1 Saddle	9 348326 005370	5



### CONCRETE POST LATCH

CODE	CHAIN LENGTH	LATCH TYPE	SUITABLE POST	INCLUDES	BARCODE	BOX QTY
BTCL500	500mm		Concrete	1 Hook Latch, 1 Eye Bolt	9 348326 003260	5
BTSC500	"		Concrete	1 Spring Hook Latch, 1 Eye Bolt	9 348326 003277	5





# LATCHES



## BOLT-ON HOOK LATCH KITS



CODE	CHAIN LENGTH	SUITABLE GATE Ø	LATCH TYPE	INCLUDES	BARCODE	BOX QTY
BCL500	500mm	25NB		1 Gate Clamp 1 Hook Latch		5
BSCL500	"	"		1 Gate Clamp 1 Spring Hook Latch		5
BCL700	700mm	"		1 Gate Clamp 1 Hook Latch		5
BCL70032	"	32NB		1 Gate Clamp 1 Hook Latch		5
BSCL700	"	25NB		1 Gate Clamp 1 Spring Hook Latch		5

## BOLT-ON PIN LATCH KITS



CODE	CHAIN LENGTH	SUITABLE GATE Ø	LATCH TYPE	INCLUDES	BARCODE	BOX QTY
BPL500	550mm	25NB		1 Gate Clamp 1 Pin Latch		5

## BOLT-ON OVAL RING LATCH KITS



CODE	CHAIN LENGTH	SUITABLE GATE Ø	LATCH TYPE	INCLUDES	BARCODE	BOX QTY
BORL500	500mm	25NB		1 Gate Clamp 1 Ring Latch		5
BORL500HD	"	"		1 Gate Clamp 1 Ring Latch		5
BORL50032	"	32NB		1 Gate Clamp 1 Ring Latch		5

### SMOOTH FRONT EDGE

When the latch is mounted, the hook is inside the gate, not protruding out from the gate frame.

### ADJUSTABLE

Our longer chain allows for adjustment as the gate way openings may increase over time.

### VERSATILE

With our 700mm long chains you can use the same latch to go around the post, for double gates, and three-way gates.

### NO SWINGING

Attach our latch to your gate then latch it to your fence when opening it and stop swinging.

# WANT TO **STAND** OUT?



ENQUIRE ABOUT OUR DISPLAY OPTIONS.  
CALL **1800 004 940**